

MC 2.1KW

MONAURAL POWER AMPLIFIER

McIntosh
The Compendium



OUTPUT MODULE FRONT PANEL: LED/fiber-optic illuminated green nomenclature. Illuminated **POWER OUTPUT** meter (linear **WATTS** or **DECIBELS**). ⚡ **METER** mode switch: **LIGHTS OFF**, **WATTS** or **HOLD**. **POWER GUARD LED**. **POWER** switch: **OFF/REMOTE**, **INPUT 1** or **INPUT 2**. Handles.



OUTPUT MODULE BACK PANEL: Speaker **OUTPUTS** connectors: **2 Ω** - **A, B** and **C**. ⚡ Speaker **OUTPUTS** connectors: **4 Ω** - **A, B** and **C**. ⚡ Speaker **OUTPUTS** connectors: **8 Ω** - **A, B** and **C**. ⚡ **MAIN FUSE**. ⚡ Power cord receptacle. 16 pin connectors TO **POWER MODULE A** and **B**. **INPUT 1**: **UNBALANCED** and **BALANCED**, **MODE** switch: **BALANCED** or **UNBALANCED**. **INPUT 2**: **UNBALANCED** and **BALANCED**, **MODE** switch: **BALANCED** or **UNBALANCED**. 16 pin connectors TO **POWER MODULE A** and **B**. **POWER/INPUT CONTROL**: **AUTO OFF** switch: **ENABLE** or **DISABLE**; **MAIN/IN 1** jacks: **OUT** and **IN**; **IN 2** jacks: **OUT** and **IN**. Polished stainless steel chassis.

MC 2.1KW

MONAURAL POWER AMPLIFIER

McIntosh
The Compendium



POWER MODULES (2) FRONT PANEL: LED/fiber-optic illuminated green nomenclature. Power bank screen. Handles.



POWER MODULES (2) BACK PANEL: Power cord receptacle. CIRCUIT BREAKER. 16 pin connector TO OUTPUT MODULE. LIGHT CONTROL switch: ON/AUTO or OFF. 16 pin connector TO OUTPUT MODULE. Polished stainless steel chassis.

MC 2.1KW

MONAURAL POWER AMPLIFIER

McIntosh
The Compendium

SPECIFICATIONS: 2000w into 2, 4 or 8 ohms. **Response:** 20-20kHz (+0 -0.25dB).
Response: 10-100kHz (+0 -3 dB). **Distortion:** 0.005%. **Noise and Hum:** -123dBA unbalanced, -127dBA balanced. **Output Impedance:** 2, 4 or 8 ohms. **Damping Factor:** >40. **Input Impedance:** 10k balanced. **Input Sensitivity:** 2.5v unbalanced, and 5v balanced. **Dynamic Headroom:** 2 dB. Sentry Monitor. **Autoformers.** Quad Balanced™. Power Guard. **Power Requirements:** 120V at 12 Amps.



MC 2.1KW - Sold from January 2024 - Current. S/N: ???-2001~ ???-????

The first 75 units sold in each country will come with the McIntosh 75 Year Anniversary emblem on the output module and 75 Years engraved into the handles.

Output Module Size: 12-5/16"H, 17-3/4"W and 26-5/8"D. **Weight:** 121 lb.

Power Module (2 each) Size: 12-5/16"H, 17-3/4"W and 26-5/8"D. **Weight:** 158 lb.

\$50,000.00